




for leather,
for you

Cartella colori / Colour card

Coloranti per cuoio / *Dyes for leather*



ARREDAMENTO / UPHOLSTERY



VITELLO WET BLUE spessore 1,2-1,3 mm % SUL PESO RASATO
CALF WET BLUE thickness 1,2-1,3 mm % ON SHAVED WEIGHT

%	Prodotti Products	Temp.	Tempo Time	pH	Operazione Operation
200,00%	ACQUA / WATER	35°C			
0,30%	ACIDO ACETICO / ACETIC ACID				
0,50%	AMINEX SL		30'		SCOLARE / DRAIN
150,00%	ACQUA / WATER	35°C			
3,00%	CROMO 33 / CHROME 33		60'		AUTOMATICO NOTTE / AUTOMATIC OVERNIGHT
2,00%	G-TAN GA LIQ.		20'		
1,50%	BICARBONATO DI SODIO / SODIUM BICARBONATE		60'	pH 5.2	
0,50%	G-TAN SL4		40'		SCOLARE LAVARE / DRAIN WASH
100,00%	ACQUA / WATER	50°C			
3,00%	G-SOFT ECSM/T				
2,00%	G-SOFT AC/1				
1,00%	G-SOFT FOG L		60'		
1,00%	ACIDO FORMICO / FORMIC ACID		30'		SCOLARE LAVARE / DRAIN WASH

TONO CHIARO % SUL PESO RASATO
LIGHT TONE % ON SHAVED WEIGHT

%	Prodotti Products	Temp.	Tempo Time	Operazione Operation
50,00%	ACQUA / WATER	20°C		
2,00%	G-TAN BD			
1,00%	COLORE / DYE		60'	
200,00%	ACQUA / WATER	55°C	10'	
1,00%	ACIDO FORMICO / FORMIC ACID		30'	SCOLARE LAVARE / DRAIN WASH

TONO SCURO % SUL PESO RASATO
DARK TONE % ON SHAVED WEIGHT

%	Prodotti Products	Temp.	Tempo Time	Operazione Operation
50,00%	ACQUA / WATER	20°C		
4,00%	COLORE / DYE		60'	
200,00%	ACQUA / WATER	55°C	10'	
1,50%	ACIDO FORMICO / FORMIC ACID		10'	
1,50%	ACIDO FORMICO / FORMIC ACID		20'	SCOLARE LAVARE / DRAIN WASH

NOTE
NOTES

Asciugare al sottovuoto / Vacuum drying

L'applicazione e l'impiego dei prodotti hanno luogo al di fuori delle nostre possibilità di controllo e ricadono pertanto sotto l'esclusiva responsabilità del cliente.
 The application and use of the products are beyond our control and they fall under the customer's responsibility.

1%

4%



Non-metal complex

% sul peso rasato
% on shaved weight



CROSTE spessore 1,1-1,2 mm % SUL PESO RASATO
SPLITS thickness 1,1-1,2 mm % ON SHAVED WEIGHT

%	Prodotti Products	Temp.	Tempo Time	pH	Operazione Operation
200,00%	ACQUA / WATER	38°C			
0,50%	AMINEX SL				
0,50%	ACIDO OSSALICO / OXALIC ACID		30'		SCOLARE / DRAIN
150,00%	ACQUA / WATER	38°C			
5,00%	CROMO 33 / CHROME 33		20'		
1,00%	G-SOFT LSI		90'		AUTOMATICO NOTTE /AUTOMATIC OVERNIGHT
2,00%	FORMIATO DI SODIO / SODIUM FORMATE		20'		
2,00%	BICARBONATO DI SODIO / SODIUM BICARBONATE		60'	pH 5.8	SCOLARE / DRAIN
200,00%	ACQUA / WATER	50°C	10'		
4,00%	G-SOFT LSI				
4,00%	G-SOFT LEG		60'		
1,00%	ACIDO FORMICO / FORMIC ACID		30'		SCOLARE LAVARE / DRAIN WASH

TONO CHIARO % SUL PESO RASATO
LIGHT TONE % ON SHAVED WEIGHT

%	Prodotti Products	Temp.	Tempo Time	Operazione Operation
50,00%	ACQUA / WATER	20°C		
2,00%	G-TAN BD			
1,00%	COLORE / DYE		60'	
200,00%	ACQUA / WATER	55°C	10'	
1,00%	ACIDO FORMICO / FORMIC ACID		30'	SCOLARE LAVARE / DRAIN WASH

TONO SCURO % SUL PESO RASATO
DARK TONE % ON SHAVED WEIGHT

%	Prodotti Products	Temp.	Tempo Time	Operazione Operation
50,00%	ACQUA / WATER	20°C		
4,00%	COLORE / DYE		60'	
200,00%	ACQUA / WATER	55°C	10'	
2,00%	ACIDO FORMICO / FORMIC ACID		20'	
2,00%	ACIDO FORMICO / FORMIC ACID		20'	SCOLARE LAVARE / DRAIN WASH

NOTE
NOTES

Asciugare al sottovuoto e smerigliare / Vacuum drying and buffing

L'applicazione e l'impiego dei prodotti hanno luogo al di fuori delle nostre possibilità di controllo e ricadono pertanto sotto l'esclusiva responsabilità del cliente.
 The application and use of the products are beyond our control and they fall under the customer's responsibility.

1%

4%




Non-metal complex

% sul peso rasato
% on shaved weight




BEIGE N10



Fastness to finishing	5
Light fastness	3/4
Metal-complex	YES
Penetration	3
PVC migration	5

BEIGE R



Fastness to finishing	4
Light fastness	4
Metal-complex	YES
Penetration	3/4
PVC migration	5

LIMONE LL



Fastness to finishing	5
Light fastness	4/5
Metal-complex	NO
Penetration	4/5
PVC migration	5

GIALLO RR




Fastness to finishing	4
Light fastness	4/5
Metal-complex	NO
Penetration	3
PVC migration	5

ARANCIO E CONC.




Fastness to finishing	5
Light fastness	5
Metal-complex	YES
Penetration	3/4
PVC migration	5

ARANCIO GR



Fastness to finishing	4
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	4/5

AVANA 2R CONC.



Fastness to finishing	4
Light fastness	4
Metal-complex	NO
Penetration	5
PVC migration	5

PAGLIERINO 3G



Fastness to finishing	3/4
Light fastness	3
Metal-complex	YES
Penetration	4
PVC migration	4/5

BRUNO O



Fastness to finishing	3/4
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	4

BRUNO SO



Fastness to finishing	5
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	5

BRUNO GC CONC.



Fastness to finishing	4/5
Light fastness	4/5
Metal-complex	YES
Penetration	4
PVC migration	4/5

BRUNO RC CONC.



Fastness to finishing	4/5
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	4/5

BRUNO 3TB



Fastness to finishing	4
Light fastness	3/4
Metal-complex	NO
Penetration	4
PVC migration	4

BRUNO BR CONC.



Fastness to finishing	3/4
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	4

BRUNO TD



Fastness to finishing	3/4
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	3/4

BRUNO SCURO WT CONC.



Fastness to finishing	3
Light fastness	4
Metal-complex	YES
Penetration	3
PVC migration	3

BRUNO SRV



Fastness to finishing	4/5
Light fastness	3
Metal-complex	NO
Penetration	4
PVC migration	4/5

ROSSO BRUNO BH



Fastness to finishing	5
Light fastness	4
Metal-complex	YES
Penetration	3/4
PVC migration	5

SCARLATTO BK



Fastness to finishing	4
Light fastness	4
Metal-complex	NO
Penetration	4/5
PVC migration	4/5

ROSSO MG



Fastness to finishing	3/4
Light fastness	3
Metal-complex	NO
Penetration	3/4
PVC migration	3/4

BORDEAUX BLL



Fastness to finishing	4/5
Light fastness	3/4
Metal-complex	YES
Penetration	4
PVC migration	4/5

VIOLETTO 3R



Fastness to finishing	3/4
Light fastness	3/4
Metal-complex	NO
Penetration	3/4
PVC migration	4

VIOLETTO RBL



Fastness to finishing	5
Light fastness	4
Metal-complex	YES
Penetration	3
PVC migration	5

VERDE GM



Fastness to finishing	4
Light fastness	4
Metal-complex	YES
Penetration	4
PVC migration	5

VERDE SCURO BT CONC.



Fastness to finishing	3/4
Light fastness	2/3
Metal-complex	NO
Penetration	4/5
PVC migration	4

TURCHESE GL



Fastness to finishing	5
Light fastness	4/5
Metal-complex	YES
Penetration	5
PVC migration	4/5

BLU SCURO S



Fastness to finishing	4/5
Light fastness	3/4
Metal-complex	YES
Penetration	3
PVC migration	4

GRIGIO A



Fastness to finishing	4/5
Light fastness	4/5
Metal-complex	YES
Penetration	4
PVC migration	4/5

GRIGIO HCR



Fastness to finishing	5
Light fastness	3/4
Metal-complex	YES
Penetration	4/5
PVC migration	5

NERO BBE



Fastness to finishing	4/5
Light fastness	4
Metal-complex	NO
Penetration	4/5
PVC migration	5

NERO RL



Fastness to finishing	4
Light fastness	4
Metal-complex	YES
Penetration	2/3
PVC migration	4

NERO SV CONC.



Fastness to finishing	3/4
Light fastness	4
Metal-complex	NO
Penetration	4/5
PVC migration	4/5

Gamma completa di coloranti acidi e diretti per cuoio, selezionati appositamente per articoli Arredamento.

Assicurano un eccellente comportamento tintoriale sia su fiore che su velour e consentono di ottenere tinture omogenee, brillanti e piene, in grado di soddisfare anche i capitolati di analisi più esigenti.

GSC Group ha strutturato il suo processo di controllo qualità in modo molto rigoroso, al fine di garantire la costanza delle caratteristiche chimiche e tintoriali dei suoi coloranti e porsi come partner affidabile nei confronti dei suoi clienti. La selezione accurata delle materie prime, il controllo di ogni batch e la continua evoluzione delle tecniche di produzione permettono di assicurare ai propri clienti forniture ad uno standard qualitativo sempre elevato, supportato da un servizio di assistenza tecnica professionale e competente.

GSC Group è membro del programma Zero Discharge of Hazardous Chemicals (ZDHC) che mira ad eliminare i prodotti chimici pericolosi dall'intera filiera del tessile, pelle, abbigliamento e calzatura e ad assicurare un corretto trattamento dei reflui di lavorazione.

La nostra gamma di coloranti è sempre stata sviluppata e selezionata per rispondere ai requisiti più avanzati: oltre ad essere conforme alle attuali legislazioni locali, ha acquisito di recente anche la certificazione internazionale ZDHC.

Complete range of acid and direct dyes for leather, specially selected for Upholstery articles.

They ensure excellent dyeing behavior both on grain and on velour, which allow us to obtain homogeneous, bright and full dyes, able to satisfy even the most demanding specification analysis.

GSC Group has structured its quality control process in a very rigorous way, in order to guarantee the consistency of the chemical and dyeing characteristics of its dyes and to act as a reliable partner towards its clients.

The careful selection of raw materials, the control of each batch and the continuous evolution of production techniques allows us to ensure our customers supplies are always of the highest quality standards, supported by a professional and competent technical assistance service.

GSC Group is member of the Zero Discharge of Hazardous Chemicals (ZDHC) program which aims to eliminate hazardous chemicals from the entire textile, leather, clothing and footwear supply chain and to ensure proper treatment of processing waste. Our dyes have always been developed and selected to meet the most advanced requirements: in addition to complying with current local legislation, our range have also recently acquired the international ZDHC certification.



Dichiarazione di Verifica IT301513 del 20.10.2020 relativa all'inventario dei GHG rilasciata da Bureau Veritas per l'anno solare 2019



GSC GROUP S.p.A.

Via dell'Industria, 5
36054 Montebello Vic.no (VI) ITALY
T. +39 0444 670949 / 671061
F. +39 0444 670321
info@gscgroup.it
www.gscgroup.it

